SYNC CHANNEL USER MANUAL

bitonlive

V. 0.16.1212.1

The information contained in this document is subject to change at any time without prior notification. If you want to learn more info about our product, please visit our web www.bitonlive.com.

Sync Channel

Sync Channel is the synchronization system for the channels created through Philo Media Manager.

Summary

Sync Channel	2
Function Keys	2
Add channels to be synchronized Copy File	3 3
Create List	4
Add folders to the synchronization of the channels TP Download	5 6
General Setup	6
Replacement of the sources	7
Replacement Destination	7

Sync Channel

The main window was divided in tow section.

In the upper section are indicated the list of all template instances, in the second is indicated the list of synchronized items.

C:\Users\onair\Desktop\asd.xml						
Load Template	Add	X Delete	Show Log	Language		
Channel Source Folder	Target Folder				Computer Target	Include Media
1 K\Shared\	C:\Users\onair\Des	ktop\Prova\				
		-		-		
Source Filename	Tan	get Filename				*
KAShared/Data/Crit/Compositions/poliximi	0.10	sers/unain/Deskiup/P	nova(Data)Ch1(Comp	ositions(politikmi	.1	
K, Shared Data (Ch1) Compositions (OPAPilo.xm)	0.10	sers/unair/Desklop/P	rova(Data(Ch1)Comp	ositions(OHAHIO.xn	ni sanal	E
KiShared/Data/Ch1/Events/m_automation/2ischil	0,0	sers/unain/Deskiup/P	rova)Data(Ch1)Event	syn_automation(List	.xmi]
KiSharad Data Chil Playlic fractioni yml	0.10	serstonair/Desktop/P	rovalData(Ch1)Disuli	syn_auomaion(s.xr		
KiShared Data/Ch1Playlist(Est Mix ym)	C.10	serstonai/Desktopt	rove\Data\Ch1\Playli	at/Test Mix yml		
K\Shared\Data\Ch1\Playlist\Reck Selection xml	C/U	sers\onair\Desktop\P	rova\Data\Ch1\Playli	st Rock Selection ve	nl	
K\Shared\Data\Ch1\Template\No Bules yml	CAU	sers\onair\Deskton\F	rova\Data\Ch1\Temp	late\No Bules yml		
K\Shared\Data\Ch1\Template\Base xml	C/U	sers\onair\Desktop\F	Prova\Data\Ch1\Temp	late\Base xml		
K\Shared\Data\Ch1\Template\Automation.xml	C:\U	sers\onair\Desktop\F	Prova\Data\Ch1\Temp	late\Automation.xml		
K\Shared\Data\Ch1\Clocks\testxml	C:\U	sers\onair\Desktop\F	rova\Data\Ch1\Clock	s\test.xml		
K/\Shared\Data\Ch1\Clocks\Pubblicità.xml	C:\U	sers\onair\Desktop\F	rova\Data\Ch1\Clock	s\Pubblicità.xml		
K.\Shared\Data\Ch1\Clocks\GlORN0.xml	C:\U	sers\onair\Desktop\F	rova\Data\Ch1\Clock	s\GlORNO.xml		
K\\Shared\Data\Ch1\Clocks\BASE.xml	C:\U	sers\onair\Desktop\F	rova\Data\Ch1\Clock	s\BASE.xml		
K\Shared\Data\Ch1\Clocks\Automazione.xml	C:\U	sers\onair\Desktop\F	vova\Data\Ch1\Clock	s\Automazione.xml		
K\Shared\Data\Ch1\Clocks\asd.xml	C:\U	sers\onair\Desktop\P	vova\Data\Ch1\Clock	s\asd.xml		-
						•

Function Keys



Load a template previously saved

Save the template created

Execute

Allows you to perform all instances included in the template or to perform only those selected



Adds a new instance of the template





Displays the log of the program

Delete the selected instance



Change the language of the program

Add channels to be synchronized

To add a new synchronization Click on Add

According to the selection of the **Mode** field, in addition to changing the type of synchronization, vary some fields in the window.

Copy File

Makes a copy of all files present in the Shared\Data folder

General Folders	
Mode	
Copy file 🔹	
Source Folder	
K:\Shared\	
Target Folder	
C:\Users\onair\Desktop\DispF\	
Channel	
· 1 · · ·	
File created or modified in the last days	
Enabled 🗖 0	
✓ Include Media File	
	- Save

Source folder: Enter the path of the shared folder set in Philo Media Manager

Target folder: Enter the destination folder for the copy

Channel: select from the combo box the channel that you wish to copy files

Enabled: enable the file copy if the creation or modification is next to the number of days indicated (insert in the adjacent field)

Includes Media File: includes in the copy also any audio or video files connected to the files found in the archive

You can select the folder path also through the search key

Create List

Create a list with the references to the elements of the archive

General Folders	
Mode	File
Create list 🔹	FileList.txt
Source Folder	
File created or modified in the last days	
Enabled 🔲 0	
Include Media File	
	Save

File: name of the .txt file to create

Source folder: Enter the path of the shared folder set in Philo Media Manager

Channel: select from the dropdown menu the channel that you wish to copy files

Enabled: enable the list generation only for the file created or modified after the number of days indicated (insert in the adjacent field)

Includes Media File: includes in the list also any audio or video files connected to the files found in the archive

You can select the folder path also through the search key

Add folders to the synchronization of the channels

In the tab folders, you can add to the copy or to the creation of the txt additional folders.

General Folders				
Add				
1	✓ Include sub folder		Remove	
Folder				
			<mark>н</mark> s	ave
To insert an additi	onal folder click	Add		
Includes sub folde	r			
Folder: Enter the p	oath of the folder			
You can select the	folder path also	through the search key		

Save

to save.

Through the key **Save Template**, you can store the sequence of instances programed and you will be able to recall it through the **Load Template** key.

At the end of the configurations click

FTP Download

FTP Downloader read the .txt file created with the Sync Channel and download the files required for the synchronization of the

channel



Click on Setup to configure parameters for download



Server: Address of the ftp server where the archive data resides

User: The user name for the ftp access

Password

Passive: server connection mode

File: Name of the txt file created for the synchronization of the channel



Sources substitution

General Source substitution Destination substitution				
A	dd			
	🔽 Enabled	Path	W:\	
2		Substitute	<server></server>	Remove
	🔽 Enabled	Path	M:\	
		Substitute	<server></server>	Remove
				Save

Enabled: Enable the replacement of the source folder

Path: path inside the .txt file to replace

Substitute: Path of the source inside the FTP with which to replace it. (<server> indicates the path of the FTP set in

the tab General).

Destination substitution

Genera	al Source su	ubstitution	Destination substitution		
A	dd				
	🔽 Enabled	Path			
		Substitute			Remove
				ŀ	Save

Enabled: Enable the replacement of the source folder

Path: path inside the .txt file to replace

Substitute: destination path inside the computer where the files will download to replace it.